



# *Zeagle*<sup>®</sup>

// TESTED. TRUSTED.



A diver is shown in a dark environment, likely underwater. The diver is wearing a full diving suit and has a flashlight illuminating the scene. The diver's mask and equipment are visible, and the overall scene is dark and atmospheric.

2023 BUYER'S GUIDE

# Zeagle®

// SOMETIMES DEFIANT. BUT ALWAYS COMPLIANT.

**BERRY COMPLIANT & MADE ON AMERICAN SOIL.**


Zeagle supports military, commercial and public safety divers around the world with Berry Compliant BCDs that are made on American soil. Our BCDs serve those who serve their country, risk their lives, and dare to go where others don't in pursuit of something bigger. The Berry Amendment (Title 10, Section 2533a of the U.S Code) requires the Department of Defense to operate with American-made products. Zeagle's tested and trusted line of BCDs include the Ranger, Ranger LTD, Stiletto, Zena, SAR and Code 911 to ensure all military and Search and Rescue personnel comply with the Berry Amendment.

#### WHY ZEAGLE?

Dennis Bulin jumped out of airplanes for the thrill of it. Skydiving was his passion, but his sights were set on innovating the scuba diving industry. In 1979 he applied the same Ripcord technology in skydiving to Buoyancy Compensators in scuba diving—and just like that, Zeagle was born. Bulin believed that to get things done, he had to do them himself. Zeagle has been doing things our own way ever since.

In the '80s, we launched the industry's first Ripcord Release System. In the '90s we patented our Personal Fit System™, we produced dive's first Tech BCD, and shifted the industry like never before to focus on heavy-duty professional style products using stainless steel hardware and ballistic materials. It's Berry Compliant and trusted by the U.S. Military and Search and Rescue teams around the globe. We scrutinize every stitch, every material, every solution. Our gear is purposeful. If we believe something needs reinforcing, we reinforce it.

When divers begin their pursuit of the vast unknown with Zeagle, there's nothing they can't conquer - because Zeagle challenges the standards in pursuit of tougher, tested, more trusted dive gear.



# WHILE SUPPLIES LAST

The following items are not part of the 2023 product assortment and are only available while supplies last. Please refer to your 2022 buyer's guide for more product details and imagery.

PART NUMBER	DESCRIPTION
111-9000L-16	16" REMOTE EXHAUST (RE) VALVE ASSEMBLY
111-9000L-19	19" REMOTE EXHAUST (RE) VALVE ASSEMBLY
111-9000L-23	23" REMOTE EXHAUST (RE) VALVE ASSEMBLY
165-1016	16" CORRUGATED HOSE
165-1019	19" CORRUGATED HOSE
165-1018	23" CORRUGATED HOSE
111-8000P	OVERPRESSURE VALVE (OPV) ASSEMBLY
111-8000P-23	OPV WITH 23" PULL CORD FOR LTD BLADDERS
0522S	CORRUGATED HOSE- INFLATOR- 16 INCH
0522	CORRUGATED HOSE- INFLATOR- 19 INCH
0522L	CORRUGATED HOSE- INFLATOR- 23 INCH
342-0270-MA-BK	F8 MOUTHPIECE (BLACK)
342-0270-MA-BL	F8 MOUTHPIECE (BLUE)
342-0270-MA-GB	F8 MOUTHPIECE (AQUA)
342-0270-MA-PK	F8 MOUTHPIECE (PINK)
342-0270-MA-PR	F8 MOUTHPIECE (PURPLE)
342-0270-MA-RD	F8 MOUTHPIECE (RED)
342-0270-MA-YL	F8 MOUTHPIECE (YELLOW)
345-8000	F8 BLACK COLOR KIT
345-8001	F8 BLUE COLOR KIT
345-8002	F8 FLACIER BLUE COLOR KIT
345-8003	F8 PINK COLOR KIT
345-8004	F8 PURPLE COLOR KIT
345-8005	F8 RED COLOR KIT
345-7001	RECON FIN RED COLOR KIT
345-7002	RECON FIN YELLOW COLOR KIT
345-7003	RECON FIN BLUE COLOR KIT
9903-RED	SCOPE ELASTIC STRAP COLOR KITS (RED)
9903-BLUE	SCOPE ELASTIC STRAP COLOR KITS (BLUE)
8207-XX	BRAVO W/ INFLATOR HOSE AND RE VALVE
8206-XX	MARINA W/INFLATOR HOSE AND RE VALVE



## // CONTENTS

<b>BCDs</b>	<b>5</b>	<b>BCD SIZE CHARTS</b>	<b>37</b>
Professional BCDs €	7	<b>REGULATORS</b>	<b>39</b>
Personal Fit System (PFS)	8	Introduction / Regulator Comparison Chart	41
PFS BCDs €	16	Complete Systems €	42
Color Customization	30	Octos €	44
Jacket and Sport BCDs	31	Inflators	44
<b>LOCATION MARKERS</b>	<b>33</b>		
<b>BCD PARTS</b>	<b>34</b>	<b>FINS €</b>	<b>45</b>
Cylinder Bands	34	<b>MASKS €</b>	<b>46</b>
Airway Assembly Components and OPVs	34		
BCD Hardware and Buckles	35	<b>SNORKELS €</b>	<b>48</b>
Service Kits	35		
<b>BCD KEY FEATURES</b>	<b>36</b>	<b>INSTRUMENTS AND HOSES</b>	<b>49</b>

# // BCDs

BCD'S



# BCDs **PFS**

## WITH PERSONAL FIT SYSTEM (PFS)

### CUSTOMIZE YOUR KIT WITH ZEAGLE'S PERSONAL FIT SYSTEM

Zeagle understands that the demands of each job—and each dive—are specific to you. That's why Zeagle prides itself on offering the Personal Fit System (PFS), which lets you modify a BCD down to the smallest detail using interchangeable components. Whether you personally have a hard time finding a well-sized BCD, you're seeking specific performance attributes to meet the needs of your profession, or you're excited to add some color to your kit, Zeagle's PFS can meet the custom requirements of your diving.



RANGER LTD



RANGER



STILETTO



FURY



ZENA



SCOUT



RESCUE 911



SAR



EXPRESS TECH DELUXE



RANGER JR



CODE3



COVERT XT

# BCDs

## JACKET BCDs

The following BCDs do not include our Personal Fit System. However we still design with our elite Zeagle DNA for unwavering quality and durability. For nearly all the bells and whistles, take the Bravo or Marina for a dip. For a traditional design melded with Zeagle's legendary toughness, try the Resort+.



BRAVO



MARINA



RESORT+

BCDs

# PROFESSIONAL BCDs



## TESTED, TRUSTED-AND BERRY COMPLIANT

The Berry Amendment (Title 10, Section 2533a of the U.S Code) requires the Department of Defense to operate with American-made products, and Zeagle is proud to support military, commercial and public safety divers around the world with Berry Compliant BCDs that are made on American soil. Our BCDs serve those who serve our country, risk their lives, and dare to go where others don't in pursuit of something bigger. Zeagle's tested and trusted line of BCDs include the Ranger, Ranger LTD, Rescue 911, SAR and Code 3 to ensure all military and search and rescue personnel comply with the Berry Amendment.



RANGER



RANGER LTD



RESCUE 911



SAR




CODE3

# // PERSONAL FIT SYSTEM (PFS)

The Personal Fit System starts with you and your specific measurements. Whether you're 4'10" or 6'10", male or female, slim or built, Zeagle has a bespoke sizing option to fit your needs and equipment preferences.

## STEP I TAKE YOUR MEASUREMENTS

A true personal fit starts by taking your waist and shoulder measurements independently—this provides a foundation for a custom BCD that's specific to your body. Torso length (shoulder to waist dimension) can vary a great deal, even for individuals of the same height, so if you are either very short or long-waisted in relation to your height or waist size, conventional "generic" sizing may not give you a good fit. Our interchangeable components allow you to fit waist size, torso length, and chest size independently, giving you a personally sized system.



### MALE:

1. **TORSO:** Measure the length from the top of the shoulder to the natural waistline. This will determine your shoulder size.
2. **WAIST:** Measure the width at the natural waistline (smallest point of the waist). This will determine your vest size.

### FEMALE:

1. **TORSO:** Measure the length from the top of the shoulder to the natural waistline. This will determine your shoulder size.
2. **BUST:** Fit to chest/bust size. This will determine your front panel size.
3. **WAIST:** Measure the width at the natural waistline (smallest point of the waist). This will determine your vest size.

For a complete fit of your Zeagle BCD use the **CUSTOM MEASUREMENT GUIDE** below to find your vest and shoulder size. If your vest size and shoulder size match (ie; both large), then your BCD will be stock size.

### CUSTOM MEASUREMENT GUIDE

**A.** MEASURE YOURSELF

**B.** PICK YOUR VEST AND SHOULDER SIZE

MEN'S			
TORSO	SHOULDER SIZE	WAIST	VEST SIZE
12 - 16 in 30.5 - 40.6 cm	XS	23 - 29 in 58 - 74 cm	XS
14 - 18 in 65.5 - 46 cm	S	28 - 35 in 71 - 89 cm	S
18 - 22 in 46 - 56 cm	M	33 - 41 in 84 - 104 cm	M
22 - 26 in 56 - 66 cm	L	37 - 45 in 84 - 114 cm	L
26 - 29 in 66 - 74 cm	XL	42 - 50 in 107 - 127 cm	XL
26 in 66 cm	2XL	47 - 55 in 119 - 140 cm	2XL
28 in 71 cm	3XL*	52 - 60 in 132 - 152 cm	3XL*
30 in 76 cm	4XL*	57 - 65 in 145 - 165 cm	4XL*
>30 in >76 cm	5XL*	62 - 70 in 157.5 - 178 cm	5XL*

WOMEN'S					
TORSO	SHOULDER SIZE	BUST	FRONT PANEL SIZE	WAIST	VEST SIZE
10 - 13 in 25.4 - 33 cm	XS	26 - 30 in 66 - 76 cm	XS	20 - 24 in 50 - 61 cm	XS
13 - 16 in 33 - 40.6 cm	S	30 - 34 in 76 - 86 cm	S	24 - 30 in 61 - 76 cm	S
15 - 18 in 38 - 46 cm	M	34 - 37 in 86 - 84 cm	M	26 - 34 in 66 - 86 cm	M
17 - 19 in 43 - 48 cm	L	37 - 42 in 84 - 107 cm	L	28 - 38 in 71 - 96.5 cm	L

Sizes listed are **STOCK** sizes.

\* indicates a special order size, additional charges may apply.



# // PERSONAL FIT SYSTEM (PFS)

## STEP 2 CHOOSE YOUR HARNESS

Decisions can be hard, but when you're starting with vests such as our world-class Ranger, Zena, Ranger LTD and Stiletto, making a choice gets a little easier. Put some meat on the bones by choosing your preferred backplate and harness, then a bladder assembly that meets your requirements.

### A VEST ASSEMBLY



The vest assembly is the core of a Zeagle BCD to which all other components are attached. The vest includes the weight system (where applicable), utility pockets and tank bands. Vest size measurement is the circumference taken at the top of the hip. The waist panel/cummerbund is always a single size and is sold separately from the vest section.

7957CR	Ranger vest assembly (XS-XXXL)
7959R	Ranger LTD vest assembly (does not include p/n 8043 weight pouches) (XS-XXXL)
7757CR	911 vest assembly (XS-XL)
7757HR	SAR vest assembly (S-XXL)
7150RS	Stiletto vest assembly (XS-XXXL)
7450R	Zena vest assembly (XS-XL)

### B WAIST PANEL (CUMMERBUND)



7169S	Stiletto waist panel
7969N	Ranger waist panel (XS-XL)
7969P-LTD	Ranger LTD waist panel (gray or black) (XS-XL)
7969P	Pre-'09 Ranger LTD waist panel (XS-XL)
7272BK	Panel Extender Packcloth
7969-BASE	Base Cummerbund (XS, SM, M, LG, XL)
7969-RESORT	Resort Cummerbund (XS, SM, MD, LG, XL, XXL)

### C SHOULDER SECTION



The shoulder section is an important part of the fit of a Zeagle BCD. The "shoulder" measurement goes from the top of the shoulder down to the top of the hip (the iliac crest). This section adjusts where the weight system and bladder assembly fit on the torso. All shoulder sections come with a sternum strap and the appropriate hose holder with model name.

7968C	Ranger shoulder section (XS, SM, MD, LG, XL, XXL, XXXL)
7962LTD	Ranger LTD shoulder section (XS, SM, MD, LG, XL, XXL, XXXL)
7768-911	911 shoulder section (XS, SM, MD, LG, XL, XXL)
7768-SAR	SAR shoulder section (SM, MD, LG, XL)
8101	HALO shoulder section
7468	Zena shoulder section (XS, SM, MD, LG, XL)
7168S	Stiletto shoulder section (XS, SM, MD, LG, XL, XXL)

# // PERSONAL FIT SYSTEM (PFS)

## STEP 3 CHOOSE YOUR BACKPLATE

We know your tech needs are not always "off the shelf". We've made sure you get exactly the set-up you need by offering a way to customize the system to your specific specifications. Start by choosing your Bladder Assembly with your Black Anodized Aluminum Backplate with either a standard harness or deluxe harness.

### A CHOOSE YOUR BACKPLATE SYSTEM



STAINLESS STEEL  
BACKPLATE



BLACK ANODIZED  
ALUMINUM BACKPLATE

### B CHOOSE YOUR HARNESS



BLACK ANODIZED  
ALUMINUM BACKPLATE  
AND STANDARD HARNESS



BLACK ANODIZED  
ALUMINUM BACKPLATE  
AND DELUXE HARNESS

Those that purchase the Stainless Steel Backplate, must purchase the Harness Webbing separately and manually apply.

#### HARNESS SYSTEM SPECIFICATIONS

CHOOSE HARNESS IN TWO DIFFERENT CONFIGURATIONS:

##### STANDARD HARNESS:

- Plastic front buckle and adjustment for overall length
- Basic, technical harness

##### DELUXE HARNESS:

- Stainless steel D-rings
- Stainless steel front buckle
- Sternum strap
- Articulated shoulder
- Quick-release shoulder straps

Zeagle metal backplates have extended slots for easy cylinder mounting, can be used with single or twin cylinders without an adaptor, and can easily mount any current Zeagle bladder assembly.

#### BACKPLATES:

519-BP01BA-Z	Black Anodized Aluminum
519-BP01S-Z	Stainless Steel

#### HARNESSES:

519-SH01	Standard Harness (Webbing)
519-DH09	Deluxe Harness (Webbing)

#### BACKPLATE WITH HARNESS:

519-BPSHBA-09	Black Anodized Aluminum Backplate and Standard Harness
519-BPDHBA-09	Black Anodized Aluminum Backplate & Deluxe Harness

# // PERSONAL FIT SYSTEM (PFS)

## STEP 4 CHOOSE YOUR BLADDER ASSEMBLY

A wide variety of Zeagle bladder systems are available, with capacities for 24 lb (11 kg) of lift to redundant 85 lb (38.5 kg) lift bladders in a single cover. Bladder assemblies include OPV with pull and corrugated hose with inflator.

### CHOOSE YOUR BLADDER ASSEMBLY



**30 LB DONUT BLADDER ASSEMBLY**  
**PN: 7030BP**  
 • 30 lb (14 kg) lift  
 • Cordura® Outer Bag



**BLADDER ASSEMBLY (STILETTO)**  
 • 25 lb (11 kg) **PN: 7033HD-Z**  
 • 35 lb (16 kg) **PN: 7030HD-Z**  
 • 44 lb (20 kg) **PN: 7035HD-Z**



**65 LB DONUT BLADDER ASSEMBLY**  
**PN: 7065BP**  
 • 65 lb (29.5 kg)



**BLADDER ASSEMBLY (EXPRESS TECH)**  
**PN: 7039HD-Z**  
 • 24 lb (11 kg)



**40 LB DONUT BLADDER ASSEMBLY**  
**BLACK PN: 7040BP-BK-Z**  
**ORANGE PN: 7040BP-Z**  
 • 40 lb (18 kg) lift  
 • Donut Bladder Assy w/ OPV and Airway  
 • Tank straps not included



**BLADDER ASSEMBLY (ZENA)**  
**PN: 7034-Z**  
 • 34 lb (15 kg)



**BLADDER ASSEMBLY (RANGER)**  
**PN: 7718C-Z**  
 • 44 lb (20 kg) twin

Note that the assemblies below include an airway assembly and OPVs.

### ADDITIONAL BLADDER ASSEMBLIES:

**BLADDER ASSEMBLY (RESCUE 911 & SAR)**  
**PN: 7722T**  
 • 65 lb (29.5 kg)

**BLADDER ASSEMBLY (BIG BERTHA)**  
**PN: 7724BP**  
 • Double 85 lb (38.5 kg) inner  
 • Horseshoe style  
 • Nylon insert for backplate sewn in

**BLADDER ASSEMBLY (LITTLE BERTHA)**  
**PN: 7725BP**  
 Double 55 lb (25 kg) inner  
 • Horseshoe style  
 • Nylon insert for backplate sewn in

**BLADDER ASSEMBLY (RANGER LTD W/ SHOULDER DUMP)**  
**PN: 7769**  
 • 44 lb (20 kg)  
 • Includes shoulder dump and zippers sewn into cover

### INNER BLADDERS AND BLADDER COVERS

Zeagle's "double bag" bladder assemblies consist of an outer fabric cover and an inner urethane bladder. The individual Bladder Covers and Inner Bladders can be purchased separately as needed.

<b>0400EF</b>	44 lb (20 kg) lift capacity inner bladder (Ranger)
<b>0400EF-Z</b>	44 lb (20 kg) lift capacity inner bladder (Ranger) (post 2014)
<b>0422EF-Z</b>	65 lb (29.5 kg) lift capacity inner bladder (Tech BC) (post 2014)
<b>0400EFX</b>	44 lb (20 kg) lift bladder with extra right hand dump point for Ranger LTD
<b>0400EFX-Z</b>	44 lb (20 kg) lift bladder with extra right hand dump point for Ranger LTD (post 2014)
<b>7756</b>	Ranger bladder cover - two OPV holes
<b>7765</b>	Tech bladder cover
<b>7765C</b>	Rescue 911 and SAR bladder cover
<b>7769LTD</b>	Ranger LTD bladder cover (gray)
<b>7040BP-IN</b>	40 lb (18kg) lift bladder inner bladder
<b>7030BP-IN</b>	30 lb (14 kg) lift bladder inner bladder

# // PERSONAL FIT SYSTEM (PFS)

## STEP 5 CHOOSE YOUR ACCESSORIES

Your diving needs are specific to your mission, and Zeagle makes it a priority to offer custom accessories to supplement the requisites of your field, profession and preference. Outfit your BCD with utility pouches, knives, tool kits, pony bottle holsters, zip mounts, and more—anything you need to get the job done.

PFS

## ACCESSORIES

### CHOOSE YOUR MOUNT.

NOTE: Ranger LTD comes standard with Zip Mount.



ALL PURPOSE MOUNT



ZIP MOUNT ADAPTER (ALSO AVAILABLE FOR ZENA)

### OPTIONAL POUCHES AND POCKETS



TANK POUCH



E-Z MOUNT QD POUCH



SPARE AIR POUCH



PONY BOTTLE 6 CU FT POUCH



LEFT UTILITY POCKET



RIGHT UTILITY POCKET

<b>8501RK</b>	Fury Ripcord Pocket Assy (XS-L, L-XXL)
<b>8501QLR</b>	Fury QLR Pocket Assy, One Size Only
<b>8136</b>	All Purpose Mount
<b>8137</b>	Zip Mount Adaptor (Ranger, Ranger LTD, Stiletto, Express Tech)
<b>8137Z</b>	Zip Mount Adaptor Kit for Zena
<b>8079</b>	Tank Pouch

<b>8056</b>	E-Z Mount QD Pouch
<b>8056Z</b>	E-Z Mount QD Pouch w/ Zip
<b>8077</b>	E-Z Mount QD Pouch, 6 cu ft tank
<b>8077Z</b>	E-Z Mount QD Pouch, 6 cu ft tank - zip on
<b>8066</b>	Spare Air Pouch
<b>8067</b>	6 cu ft O.Pony Bottle Pouch
<b>8068L</b>	Left Utility Pocket
<b>8068R</b>	Right Utility Pocket

## CYLINDERS & CYLINDER ACCESSORIES



6 CU. FT.

20 CU. FT.

### CYLINDERS

**20 cu ft w/o valve** - Sanded

13.8 in x 5.2 in (35cm x 13.3cm)

**6 cu ft tank w/o valve** - 9.4 in x 3.4 in (27cm x 8.6cm)

### TANK POUCH

- Holds 20 cu ft Redundant Air System
- 2 brass snaps

<b>331-1002</b>	20 cu ft tank w/o valve Sanded
<b>331-1006</b>	6 cu ft tank w/o valve Sanded
<b>331-2001</b>	Standard Tank Valve
<b>331-1001</b>	20 cu ft tank w/no valve Black
<b>750-6206</b>	QD Pony System



6 CU. FT.

20 CU. FT.

### QD PONY SYSTEM

- RaZor Regulator
- 6 cu ft tank
- EZ Mount QD deploy pouch

### 0.5 CU. M PONY SYSTEM

- 20 cu ft tank
- RaZor Regulator
- Cylinder comes in Black or Sanded finish

<b>750-6206Z</b>	QD Pony System with Zip
<b>750-6220-BK</b>	20 cu ft Pony System - Black
<b>750-6220-SA</b>	20 cu ft Pony System - Sanded
<b>8029</b>	Pony Bottle Band Kit



# // PERSONAL FIT SYSTEM (PFS)

PFS

## WEIGHT POUCHES/POCKETS



MESH WEIGHT POUCHES



TRIM WEIGHT POUCH



REAR WEIGHT SYSTEM (9KG)



WEIGHT TOTE BAG



REAR WEIGHT SYSTEM (7KG)

## POCKETS



SPORT POCKET



QUICK POCKET



COVERT XT POCKET



CLIP POCKET



ZENA UTILITY



TECH UTILITY



SPARE AIR POCKET

**MESH WEIGHT POUCHES FOR ZEAGLE RIPCORD BCDs** - (Now comes standard with Ranger LTD, Ranger, Stiletto and Zena)

- 10, 12, 17.6 lb (4.5, 5.4 or 8 kg) capacity

**8050S TRIM WEIGHT POUCHES** - SOLD INDIVIDUALLY

- Hook and loop closure
- 6 lb (2.7 kg) capacity

**REAR WEIGHT SYSTEM** - SOLD AS A PAIR

- Releasable
- 19.8 or 15.4 lb (9 or 7 kg) total capacity

**WEIGHT TOTE BAG**

- 13 in x 7.9 in x 5 in (33 cm x 20 cm x 12.7 cm)

**8042Z** Mesh Pouch - 10 lb (4.5 kg) capacity

**8042** Mesh Pouch - 12 lb (5.4 kg) capacity

**8043** Mesh Pouch - 18 lb (8 kg) capacity

**8050S** Trim Weight Pouch - 6 lb (2.7 kg) capacity

**8051Z** Rear Weight System - 20 lb (9 kg) total (red pull tabs)

**8052Z** Rear Weight System - 16 lb (7 kg) total (red pull tabs)

**8032YL** Weight Tote Bag - Yellow

**8032BK** Weight Tote Bag - Black

**TECH UTILITY POCKET**

5.9 in x 9.1 in x 2.5 in  
(15 cm x 23 cm x 6.3 cm)

- 2 zippered compartments
- Ballistic Nylon

**SPORT POCKET**

5.9 in x 9.1 in x 2.5 in  
(15 cm x 23 cm x 6.3 cm)

- 1 zippered compartment
- Para-pac Nylon
- Available in Black, Blue

**ZENA UTILITY POCKET**

5.9 in x 9.1 in x 2.5 in  
(15 cm x 23 cm x 6.3 cm)

- 1 zippered compartment
- Cordura® Nylon
- Available in Black, Neon Yellow

**QUICK POCKET**

- Mounts on any Zeagle BCD
- Expandable mesh
- Ballistic Nylon

**SPARE AIR POCKET**

- Mounts on any Zeagle BCD
- Ballistic Nylon
- Quick release

**CLIP POCKET**

- Mounts on Zeagle BCD waist panel
- Clip closure
- Cordura® Nylon

**8033** Tech Utility Pocket

**8033C** Zena Utility Pocket

**8033CC** Clip Pocket

**8033P** Sport Pocket (Blue, Black)

**8033QP** Quick Pocket

**8055L** Spare Air Pocket

**7102-PKT** Covert XT Accessory Pocket

## DIVER TOOLS, MOUNTS, STRAPS AND PADS



DIVE KNIFE WITH SHEATH



LINE CUTTER WITH SHEATH



EMT SHEARS W/ SHEATH



DIVER TOOL KIT



DIVER TOOL KIT WITH SLATE



QUICK LINK WITH STRAP



PONY BOTTLE BAND KIT



FULL LUMBAR PAD

### LINE CUTTER WITH SHEATH

- Mounts easily on any BCD

### EMT SHEARS WITH SHEATH

- Stainless Steel

### DIVER TOOL KIT

- Includes: Sheath, knife, rescue scissors

### DIVER TOOL KIT WITH SLATE

- Includes: Sheath, knife, rescue scissors, slate

### SPLIT SADDLE STRAP ASSEMBLY FOR USE WITH RANGER AND TECH BCDS (NOT SHOWN)

- Additional security for heavy-duty BCDs

### QUICK LINK WITH STRAP

- A flexible and versatile way to attach a Pony bottle and many other accessories to any Zeagle BCD

### PONY BOTTLE BAND KIT

- Twin straps. Heavy-duty buckle.
- Mounts Pony or battery pack on any Zeagle BCD

### GRIMLOCK (NOT SHOWN)

- Military MOLLE strap accessory plastic opening 2 in x 1.5 in (5 cm x 3.8 cm) D-ring
- Available in Black, Gray or Tan

5402	Dive Knife with Sheath
5403	Line Cutter with Sheath
8134	EMT Shears w/ Sheath
8135	Diver Tool Kit
8135S	Diver Tool Kit w/ Slate
8011	Quick Link w/ Strap
8029HD	Pony Bottle Band Kit
7275F	Lumbar Pad for Ranger, Ranger LTD, Stiletto
7275Z-9	Lumbar Pad for Zena
7024C	Split Saddle Strap Assembly
8026Z-COVERT	Hose Holder Covert
8026Z-EXPRESS	Hose Holder Express Tech
8026Z-RANGER	Hose Holder Ranger
8026Z-LTD	Hose Holder LTD
8026Z-SAR	Hose Holder SAR
8026Z-SCOUT	Hose Holder Scout
8026Z-STILLETTO	Hose Holder Stiletto
8026Z-ZENA	Hose Holder Zena
7024B	Saddle Strap Buckle Assembly
110-4100	Grimlock

# // PERSONAL FIT SYSTEM (PFS)



ZIP TOUCH WEIGHT SYSTEM



RIPCORD WEIGHT SYSTEM



EXPRESS TECH PAD KIT



2.5CM CROTCH STRAP

5CM CROTCH STRAP



TWIN BANDS

MOUNTING PLATES

## TECHNICAL ACCESSORIES

Tech accessories are an integral part of a tech BCD. Choose from this selection to finish off your custom tech BCD.

### ZIP TOUCH WEIGHT SYSTEM

- 20 lb (9 kg) capacity

### RIPCORD WEIGHT SYSTEM

- 30 lb (13.6 kg) capacity

### SHOULDER PADS FOR STANDARD OR DELUXE HARNESS (NOT SHOWN)

### EXPRESS TECH PAD KIT

- Backpad and shoulder pads for added comfort at the back and shoulders

### CROTCH STRAP 2.5 CM WIDE FOR ZEAGLE 519-BPO1S METAL BACKPLATE

- With adjustable quick release
- Two cable attachments

### CROTCH STRAP 5CM WIDE FOR ZEAGLE 519-BPO1S METAL BACKPLATE

- With adjustable quick release
- Two cable attachments

519-WS120	Zip Touch Weight System- 20 lb (9 kg)
519-TA01	Single Tank Backplate Adaptor (single cylinder)
519-B501	Strap Bladder for Backplates
519-WS130RC	Rip Cord Weight System- 30 lb (13.6 kg)
519-PAD01	Soft Pad for Backplate (stainless steel or black anodized aluminum)
519-SP09	Shoulder Pads for Harness (deluxe or standard)
7299	Express Tech Pad Kit
519-CS01	Crotch Strap- 1 in (2.5 cm) wide
519-CS09	Crotch Strap- 2 in (5 cm) wide

## DIVING WITH DUAL TANKS?

The following items are recommended if you are starting to dive with dual tanks.

### BOLT KITS (NOT SHOWN)

- 0.2 in (0.6 cm) Bolt and nut kit, contains 8 sets (for single cylinder mount)
- 5.5 in (14 cm) Bolts (for 7in/18cm tank)
- 6.5 in (16.5 cm) Bolts (for 7.9in/20cm tank)

### TWIN BANDS TWIN CYLINDER

- 7.25 in (18 cm) Tank
- 8 in (20 cm) Tank

### BLADDER ATTACHMENT STRAPS FOR DOUBLES (NOT SHOWN)

- Required to mount twin cylinders on applicable Zeagle BCDs. Sold separately.

### MOUNTING PLATES TWIN CYLINDER/PAIR

- Provides reinforcement on a Zeagle BCD vest when attaching twin cylinders to twin-capable Zeagle BCDs

519-BKBA	Bolt Kit - 0.2 in (0.6 cm) Bolt and Nut (single cylinder)
519-BK55	Bolt Kit - 5.5 in (14 cm) Bolts (twin cylinder)
519-BK65	Bolt Kit - 6.5 in (16.5 cm) Bolts (twin cylinder)
519-TCMP	Mounting Plates (twin cylinder/pair)
519-TB07	Twin Bands- 7.25 in (18 cm) Tank (twin cylinder)
519-TB08	Twin Bands- 8 in (20 cm) Tank (twin cylinder)
7281	Bladder Attachment Straps
7281S	Bladder Attachment Strap - Small
7281M	Bladder Attachment Strap - Medium
7281L	Bladder Attachment Strap - Large
519-SC01	Single Cylinder Mount

# //RANGER<sup>CE</sup>



## THE ORIGIN OF TOUGH

Ranger is both rugged and versatile. Reinforced with 1680 Denier Ballistic Nylon, it comes standard with backplate grommets, a 44 lb (20 kg) lift capacity bladder, a 35 lb (16 kg) capacity Ripcord Weight System® (pull-out weight system available) and a 15.4 lb (7 kg) capacity rear mount trim weight system. It can transition between tropical travel diving, rugged cold-water diving in wet or dry suits, single or twin cylinders, or tech diving. The Ranger is compatible with a variety of options and accessories, including bladders, pockets, hard backplates, and custom gear attachment components.

- Personal Fit System (PFS) allows for changing out sections of the BCD
- Heavily reinforced 1680 Denier Ballistic Nylon construction
- Two zippered utility pockets
- Adjustable and depth compensation cummerbund
- 4 stainless steel angled D-rings on shoulders (2 adjustable), and 2 on vest
- Adjustable sternum strap
- 11 in (28 cm) spaced grommets for adding twin cylinders\*

\* Also requires bladder attachment straps. # 7281M

<b>Ripcord</b>	Yes
<b>Inflation</b>	Rear Inflate
<b>Dry Weight</b>	8.4 lb (3.8 kg)
<b>Lift Capacity</b>	44 lb (19.95 kg)
<b>Weight Capacity</b>	36 lb (16.3 kg)
<b>Rear Weight System</b>	16 lb (17.25 kg)
<b>D-Rings</b>	6 Stainless Steel
<b>Custom Colors</b>	Yes
<b>Custom Sizes</b>	Yes



Berry Amendment version available using tested, trusted military grade materials.



See all bladder options on page 11



Available accessories on pages 12-15

**7907RK** RANGER w/inflator hose

**COLOR** Black

**SIZE** XS / S / M / L / XL / XXL

**CUSTOM** XXXL / XXXXL



# // RANGER LTD <sup>CE</sup> PFS

## EXTRA FEATURES THAT RAISE THE BAR

The Ranger LTD has everything its sibling the Ranger has, but with shoulders that accommodate more accessories and a super-duty Airlloc buckle that swivels to adjust the harness to the body's contour, eliminating binding and restriction of movement at the chest and underarm areas. With additional harness-type webbing and a new threading arrangement, divers can easily add more D-rings and other accessories conveniently on the shoulder. These features allow the accessory-minded diver to further set up their BCD for all types of diving.

- Heavily reinforced 1680 Denier Ballistic Nylon construction
- Zip-mount accessory zippers on each side of bladder
- Unique tuck-away mesh pouch on front of cummerbund
- Extra lumbar padding
- 4 stainless steel angled D-rings on shoulders (2 adjustable), and 4 on vest
- 11 in (28 cm) spaced grommets for adding twin cylinders\*
- Includes a pair of 17.6 lb (8 kg) capacity mesh weight pouches

\* Also requires bladder attachment straps. # 7281M

<b>Ripcord</b>	Yes
<b>Inflation</b>	Rear Inflate
<b>Dry Weight</b>	9.5 lb (4.31 kg)
<b>Lift Capacity</b>	44 lb (19.96 kg)
<b>Weight Capacity</b>	36 lb (16.31 kg)
<b>Rear Weight System</b>	20 lb (9.07 kg)
<b>D-Rings</b>	8 Stainless Steel
<b>Custom Colors</b>	Yes
<b>Custom Sizes</b>	XXL / XXXL / XXXXL



BCDS



**Berry Amendment version available using tested, trusted military grade materials.**



See all bladder options on page 11



Available accessories on pages 12-15

**7909RK** RANGER LTD w/inflator hose

**COLOR** Black

**SIZE** XS / S / M / L / XL / XXL

**CUSTOM** XXXL / XXXXL

# // STILETTO <sup>CE</sup> PFS

## FULLY LOADED FOR LOCAL AND TRAVEL DIVING

Stiletto has a 24 lb (11 kg) capacity Ripcord Weight System®, a 16 lb (7.3 kg) capacity rear mount trim weight system, and is reinforced with 1000 Denier Nylon construction. It comes standard with a 35 lb (15.9 kg) low profile, heavyweight bladder with elastic retractor, and features two zippered utility pockets capable of handling all your accessories for both local and travel diving.

- Personal Fit System (PFS) allows for changing out sections of the BCD
- Reinforced 1000 Denier Nylon construction
- Sewn-on lumbar pad
- Two zippered utility pockets
- Adjustable and depth compensation cummerbund
- Adjustable sternum strap

<b>Ripcord</b>	Yes
<b>Inflation</b>	Rear Inflate
<b>Dry Weight</b>	7.4 lb (3.4 kg)
<b>Lift Capacity</b>	35 lb (15.9 kg)
<b>Weight Capacity</b>	24 lb (11 kg)
<b>Rear Weight System</b>	16 lb (7.3 kg)
<b>D-Rings</b>	5 Stainless Steel
<b>Travel Friendly</b>	Yes
<b>Custom Colors</b>	Yes
<b>Custom Sizes</b>	XXXL / XXXXL



See all bladder options on page 11



Available accessories on pages 12-15

**7104RK** STILETTO w/inflator hose

**COLOR** Black

**SIZE** XS / S / M / L / XL / XXL

**CUSTOM** XXXL / XXXXL

# // FURY<sup>CE</sup> PFS

## EXTREME ADJUSTABILITY

Taking adjustability to the next level, the Fury BCD builds on our Personal Fit System (PFS) to provide the absolute best fit on the market. The result is a custom-tailored, custom-fitting BCD that's unparalleled in bespoke utility.

Top features of the BCD - built-in adjustability for improving overall fit and modularity/interchangability of the weight system (QLR & Ripcord) which will allow divers to use a conventional click and pull weight release system (QLR) or the traditional Zeagle patented Ripcord weight release system.

- A hyper-adjustable BCD for any dive mission
- Reinforced 1000 denier Ballistic nylon construction
- PFS modular sizing delivers total adjustability
- Fully adjustable shoulders, vest and cummerbund
- Single or twin tank capability
- QLR and Ripcord weight systems available
- Four stainless steel angled D-rings on shoulders (two adjustable)
- Two stainless steel D-rings on vest
- Two zippered utility pockets at sides
- Adjustable sternum strap for tightening kit

<b>Ripcord</b>	Ripcord or QLR (Quick Lock Release)
<b>Inflation</b>	Rear Inflate
<b>Dry Weight</b>	Reg Model w/ Ripcord 7.25 lb (3.32 kg) Reg Model w/ QLR 8.35 lb (3.78 kg) Lrg Model w/ Ripcord 7.7 lb (3.5 kg) Lrg Model w/ QLR 8.7 lb (3.94 kg)
<b>Lift Capacity</b>	Reg Model 26 lb (11.8 kg) Lrg Model 35 lb (15.9 kg)
<b>Weight Capacity</b>	Ripcord 24 lb (10.9 kg) QLR 20 lb (9 kg)
<b>Rear Weight System</b>	16 lb (7.3 kg)
<b>D-Rings</b>	4 Black Stainless D Rings
<b>Travel Friendly</b>	Yes
<b>Custom Colors</b>	No
<b>Custom Sizes</b>	No



Available accessories on pages 12-15

**8500RK** FURY RC w/inflator, hose and RE Valve

**8500QLR** FURY QLR w/inflator, hose and RE Valve

**COLOR** Black

**SIZE** Ripcord - Regular / Large  
QLR - Regular / Large



BCDS

# // ZENA<sup>CE</sup> PFS

## OUTSTANDING FIT AND COMFORT FOR WOMEN

Designed for women, the Zena's twin waist and hip band system provide a way to securely position weight below waist level around the body's center of buoyancy. As the twin straps adjust to waist and hips independently, they provide outstanding fit and comfort. The Zena closes in the front with a heavy-duty zipper for a snug and secure, yet non-restrictive fit.

- Elastic front panels with zipper closure for a comfortable, secure fit and a streamlined profile
- Dual waistbands allow weights to be positioned below waist level for superior comfort and balance
- Quick release buckles on shoulders and body
- Expandable pocket at waist. 8033QP included.
- Component sizing fits waist, torso length and chest size independently

<b>Ripcord</b>	Yes
<b>Inflation</b>	Rear Inflate
<b>Dry Weight</b>	6.2 lb (2.81 kg)
<b>Lift Capacity</b>	34 lb (15.42 kg)
<b>Weight Capacity</b>	24 lb (10.89 kg)
<b>Rear Weight System</b>	16 lb (7.26 kg)
<b>D-Rings</b>	4 Stainless Steel
<b>Travel Friendly</b>	Yes
<b>Custom Colors</b>	No
<b>Custom Sizes</b>	XL / XXL



See all bladder options on page 11



Available accessories on pages 12-15



See all customization options on page 21

**7401RK** ZENA w/inflator hose

**7467Z** Floral or Standard panel

**SIZE** XS / S / M / L

**CUSTOM** XL / XXL

# // ZENA COLOR OPTIONS

Customize this BCD with interchangeable front color panels, including embroidered (floral) and standard colors. Floral panels are available as stock items, all other color panels are available by custom order only.



**PINK  
FLORAL**



**AQUA  
FLORAL**



**BLUE  
FLORAL**



**NEON  
PINK**



**AQUA**



**BLUE**

## COLORS

MP Pink Floral

AB Aqua Floral

GB Blue Floral

NP Neon Pink

AQ Aqua

BL Blue

# // SCOUT <sup>CE</sup> PFS

## THE IDEAL LOW COST AND LIGHTWEIGHT ENTRY-LEVEL BCD

Mixing exceptional value for price with Zeagle's legendary quality, the Scout BCD delivers sturdy, lightweight performance on every dive. With a low-profile single bladder, an elastic retractor, and an elastic waist closure, the Scout is built with a minimalist aesthetic in mind.

Our lightest and most compact BCD, it is ideal for a basic travel system with minimum weight and bulk. If you're just starting out and recently got your Open Water certification, the Scout is a great choice.

- Reinforced nylon construction
- Two zippered utility pockets
- Adjustable elastic waist panels
- Adjustable sternum strap



<b>Ripcord</b>	No
<b>Inflation</b>	Rear Inflate
<b>Dry Weight</b>	6.7 lb (3 kg)
<b>Lift Capacity</b>	24 lb (10.9 kg)
<b>Weight Capacity</b>	None
<b>Rear Weight System</b>	16 lb (7.3 kg)
<b>D-Rings</b>	4 Stainless Steel
<b>Custom Colors</b>	No
<b>Custom Sizes</b>	No



See all bladder options on page 11



Available accessories on pages 12-15

**7108VK** SCOUT w/inflator hose & RE Valve

**COLOR** Black

**SIZE** XS / S / M / L / XL

# // RESCUE 911 <sup>CE</sup> PFS

## APPROVED FOR PUBLIC SAFETY DIVERS

With a twin buckle front closure, Rescue 911 is based on the Tech BCD platform, but with additional features. SOLAS standard symbols on buckles, reflective trim on the bladder, additional D-rings, pockets for long octopus hose storage on each bladder wing, and an included split saddle harness. The Rescue 911 has proven to be a durable and flexible platform by a large number of public safety agencies.

- 1680 Denier Ballistic Nylon
- SOLAS reflective symbols on buckles
- Reflective 3M™ ScotchLite™ trim on bladder
- Two hose storage pockets on bladder
- Articulated shoulder assembly using Airloc buckles will swivel to adjust the harness to the body's contour
- 11 in (28 cm) spaced grommets for mounting twin cylinders
- Single or twin cylinder capability
- Two double pull waist buckles in front
- Adjustable sternum strap
- Four D-rings on shoulders, two adjustable
- Two zippered utility pockets
- Full lumbar pad
- Split saddle harness



BCDS



**Berry Amendment version available using tested, trusted military grade materials.**

<b>Ripcord</b>	Yes
<b>Inflation</b>	Rear Inflate
<b>Dry Weight</b>	9.5 lb (4.3 kg)
<b>Lift Capacity</b>	65 lb (29.5 kg)
<b>Weight Capacity</b>	35 lb (15.9 kg)
<b>Rear Weight System</b>	20 lb (9.1 kg)
<b>D-Rings</b>	6 Stainless Steel
<b>Custom Colors</b>	Yes
<b>Custom Sizes</b>	Yes



See all bladder options on page 11



Available accessories on pages 12-15

**7607RK** 911 w/inflator hose & RE valve

**COLOR** Black

**SIZE** XS / S / M / L / XL / XXL



## APPROVED FOR PUBLIC SAFETY DIVERS

A reliable BCD for search and rescue divers for 20 years, SAR is designed to fit the needs of Public Safety divers. It is similar to the Rescue 911, with the addition of a permanently installed lifting harness for helicopter, cliff, or swift water work. It comes with SOLAS standard symbols on buckles, reflective trim on the bladder, additional D-rings and pockets for long octopus hose storage on each bladder wing. The SAR has been proven to be a durable and flexible platform by public safety and military agencies in the US and abroad.

- 1680 Denier Ballistic Nylon
- SOLAS reflective symbols on buckles
- Reflective 3M™ ScotchLite™ trim on bladder
- Two hose storage pockets on bladder
- Lift capacity of harness, 4,000 lb (1,814 kg)
- Articulated shoulder assembly using Airloc buckles will swivel to adjust the harness to the body's contour
- 11 in (28 cm) spaced grommets for mounting twin cylinders
- Single or twin cylinder capability
- Two double pull waist buckles in front
- Adjustable sternum strap
- Two zippered utility pockets
- Small lumbar pad
- Integral lifting harness

<b>Ripcord</b>	Yes
<b>Inflation</b>	Rear Inflate
<b>Dry Weight</b>	12 lb (5.4 kg)
<b>Lift Capacity</b>	65 lb (29.5 kg)
<b>Weight Capacity</b>	36 lb (16.3 kg)
<b>Rear Weight System</b>	20 lb (9.1 kg)
<b>D-Rings</b>	6 Stainless Steel
<b>Custom Colors</b>	Yes
<b>Custom Sizes</b>	XXL



See all bladder options on page 11



Available accessories on pages 12-15



Berry Amendment version available using tested, trusted military grade materials.

**7807RK** SAR w/inflator hose & RE valve

**COLOR** Black

**SIZE** XS / S / M / L / XL

**CUSTOM** XXL



# // EXPRESS TECH DELUXE <sup>CE</sup>

## ULTRA LIGHTWEIGHT AND CUSTOMIZABLE

The deluxe version of the Express Tech includes several accessories that are commonly requested by divers. Its deluxe webbing harness includes an articulated shoulder assembly that swivels to adjust the harness to the contours of the torso. Our pad kit can also be included to provide a set of shoulder pads and a removeable soft backpad.

The Express Tech Deluxe is a customizable, ultra-lightweight, super compact BCD packed with features never before found in a rig this small from Zeagle.

- Soft backplate reinforced with a polymer material gives the support needed while retaining flexibility for comfort
- 24.2 lb (11 kg) lift capacity bladder standard. Accepts most bladder assemblies that would fit on a metal backplate.
- 11 in (28 cm) spaced grommets allow for twin cylinder attachment
- Optional Pad Kit (7299) available to increase comfort in the shoulders and back
- Includes an articulated shoulder assembly which will swivel to adjust the harness to the body's contour
- Airloc buckles are used on the shoulder section and waistband
- Accepts Zip Touch Weight System as well as the Ripcord Weight System



<b>Ripcord</b>	Yes
<b>Inflation</b>	Rear Inflate
<b>Dry Weight</b>	6.5 lb (2.95 kg)
<b>Lift Capacity</b>	24 lb (10.89 kg)
<b>Weight Capacity</b>	24 lb (10.89 kg)
<b>Rear Weight System</b>	None
<b>D-Rings</b>	5 Stainless Steel
<b>Travel Friendly</b>	Yes
<b>Custom Colors</b>	Yes
<b>Custom Sizes</b>	Yes



See all bladder options on page 11



Available accessories on pages 12-15

<b>7709NK-DLX</b>	Express Tech Deluxe w/inflator and hose
<b>7709WK-DLX</b>	EXPRESS TECH w/inflator hose also includes the Express Tech Pad Kit (7299) and the Zip Touch Weight (519-WS120)
<b>COLOR</b>	Black
<b>SIZE</b>	One Size

BCDS

# // CODE 3<sup>CE</sup> PFS

## DESIGNED FOR RAPID EMERGENCY RESPONSE

Code 3 is the next generation of BCDs for all military, coast guard, law enforcement, maritime security, marine patrol and fire and rescue personnel. It's a convenient diving system that's designed specifically for rapid response to an emergency. Featuring an enhanced MOLLE strap system with additional strap areas for accessories, dual tank mounting bands that secure the tank horizontally or vertically, and large reinforced padding adds comfort. Reflective tape increases visibility and makes the diver easily identifiable.

- Two tank configurations (horizontal front and vertical back mount)
- 20 cu ft (0.6 cu m) tank
- 5000psi (345 BAR) gauge with MiFlex hose
- Additional MOLLE strap areas for accessories
- Reflective tape for easy identifying in all environments
- Durable 1680D ballistic nylon
- Two OPV pull dumps
- Adjustable waist and crotch strap
- Razor regulator system

Ripcord	Yes
Inflation	Rear Inflate
Dry Weight	6.5 lb (2.95 kg)
Lift Capacity	24 lb (10.89 kg)
Weight Capacity	24 lb (10.89 kg)
Rear Weight System	None
D-Rings	5 Stainless Steel
Travel Friendly	Yes
Custom Colors	No
Custom Sizes	No



Available accessories on pages 12-15



Berry Amendment version available using tested, trusted military grade materials.

**720-2017** Code 3 w/inflator hose and RE

**710-2017** Code 3 w/Razor II Regulator, Sanded/Black Tank; Single Gauge (5000 psi) with Miflex Hose

**SIZE** One Size

# //RANGER JR<sup>CE</sup>

## HIGHEST QUALITY BCD FOR KIDS

The Ranger Jr is made with the same rugged construction as the legendary Ranger BCD. It utilizes Zeagle's Personal Fit System® to allow for changing out shoulder and vest sections of the BCD so it can grow as your child does. Ranger Jr. is a great first BCD for young divers.

- Heavily reinforced 1680 Denier Ballistic Nylon construction
- 24.2 lb (11 kg) lift capacity ballistic bladder
- Personal Fit System (PFS) allows for changing out sections of the BCD for a growing child
- Adjustable elastic waist panels
- Adjustable sternum strap

<b>Ripcord</b>	Yes
<b>Inflation</b>	Rear Inflate
<b>Dry Weight</b>	5.6 lb (2.5 kg)
<b>Lift Capacity</b>	24 lb (10.9 kg)
<b>Weight Capacity</b>	16 lb (7.3 kg)
<b>Rear Weight System</b>	16 lb (7.3 kg)
<b>D-Rings</b>	4 Stainless
<b>Custom Colors</b>	No
<b>Custom Sizes</b>	No



BCDS



See all bladder options on page 11



Available accessories on pages 12-15

**7905RK** RANGER JR w/inflator hose

**COLOR** Black

**SIZE** XS

# // BACKPLATE COMBO

## CUSTOMIZABLE FOR ALL DIVING CONDITIONS

CE



The Backplate Combo is an expandable platform for building your ultimate setup. With capability to mount single or double cylinders, along with crotch straps, scooter rings, sling bottles, shoulder pads, torch canisters and more, Zeagle's durable stainless steel backplate with simple, single-webbing harness gives divers endless options to customize.

### INCLUDES:

- Stainless steel backplate and deluxe harness
- Single cylinder mount
- 30 lb (13.6 kg) donut bladder assembly
- Single tank backplate adaptor (includes nuts and bolts)



519-BPC

Backplate Combo Pack

# // BACKPLATE BCDS

To meet the needs of the military, commercial, SAR, and Public Safety Divers, the Backplate BCDS integrates all of the best features of our adaptable Backplate Combo, but with even more lift for the ultimate in reliability. Easily add crotch straps, scooter rings, sling bottles, shoulder pads, torch canisters and more. With added lift and endless options to customize, the Backplate BCDS is ready for any mission.

**INCLUDES:**

- Stainless steel backplate and deluxe harness
- Single cylinder mount
- 40 lb (18 kg) donut bladder assembly
- Single tank backplate adaptor (includes nuts and bolts)



Grommet  
Detail



Orange



Black Back View



Orange Back View

<b>519-BPC40</b>	Backplate w/ Harness and 40 lb (18 kg) Donut w/inflator & RE Valve, Orange
<b>519-BPC40-BK</b>	Backplate w/ Harness and 40 lb (18 kg) Donut w/inflator & RE Valve, Black

# COLOR CUSTOMIZATION

## COLOR GUIDE

At Zeagle, we cut and sew BCDs in our own factory in Salt Lake City, Utah, so we can custom make yours to order. If the level of customization found through our Personal Fit System isn't enough, you can also determine the aesthetic of your BCD through color paneling. With over eight different panel options and 13 different colorways—including desert camo—Zeagle provides nearly endless options for you to make your BCD unique.

### / COLOR CUSTOMIZATION GUIDE



#### A. CHOOSE YOUR BCD

AVAILABLE PANELS	STILETTO	ZENA	RANGER	RANGER LTD	911	SAR
Shoulder	•	•	•	•	•	•
Vest	•	•	•	•	•	•
Vest Pockets	•	•	•	•	•	•
Cummerbund	•		•	•	•	•
Front Panel		•				
Bladder (Front)			•	•	•	•
Bladder (Rear)			•	•	•	•
Bladder (Gusset)			•	•	•	•

#### B. CHOOSE YOUR COLORS

AQUA	NEON YELLOW	WICKED GRAY
PURPLE	OLIVE DRAB	OCEAN CAMO
DESERT CAMO	RED	COYOTE TAN
NEON PINK	ROYAL BLUE	ORANGE

VISIT [ZEAGLE.COM/CUSTOMIZE](https://zeagle.com/customize) TO FILL IN THE COLOR CUSTOMIZATION FORM

LEARN MORE AT [ZEAGLE.COM/CUSTOMIZE](https://zeagle.com/customize)



**8207** BRAVO w/inflator hose & RE valve

**COLOR** Black/Gray

**SIZE** S / M / L / XL / XXL

**8020-RFE** Sport Weight Pockets S-M

**8021-RFE** Sport Weight Pockets L-XL

## // BRAVO € WHILE SUPPLIES LAST

### THE NEXT STEP IN THE EVOLUTION OF SPORT BCDs

Bravo elevates every dive with superior design functionality and aesthetics. Generous easy access pockets, D-rings and adjustable cummerbund, and bladder material with 1000D black w/10mm TPU combats fading and abrasion. Hard webbing backplate with two tank bands, and an additional cinch-down strap tank band, secures the tank to the BCD with confidence. Reinforced and color contrast stitching throughout highlights Bravo's dedication as every diver's ultimate dive companion.

- Dual adjustable tank band and tank positioning strap
- Adjustable cummerbund / waist panel and shoulder adjustment
- Updated weight system allows for easier loading and up to 10 lb (4.5 kg) ditchable weight on each side
- Large utility pocket
- Octo pocket
- Knife mounting positions on both sides
- Two rear non-ditchable 4.4 lb (2 kg) weight pockets
- Shoulder and rear dump / OPVs

<b>Ripcord</b>	No
<b>Inflation</b>	Jacket Style
<b>Dry Weight</b>	10 lb (4.5 kg)
<b>Lift Capacity</b>	31 - 45 lb (14.1 - 20.4 kg)
<b>Weight Capacity</b>	20 lb (9.1 kg)
<b>Rear Weight System</b>	10 lb (4.5 kg)
<b>D-Rings</b>	6 Stainless Steel
<b>Custom Sizes</b>	No

## // MARINA € WHILE SUPPLIES LAST

### WHEN DURABLE IS BEAUTIFUL

Marina Sport is a women's wraparound jacket-design with personality that demands attention, and functionality that's unrivaled. Custom front zipper panels with optional colors gives a personal touch. The vest is exclusively designed for women, with hard webbing in the backplate and extra padding in the lower lumbar and neck areas for fit, comfort and function all-in-one. Marina takes the renowned durability that Zeagle is known for and blends beautiful design aesthetics.

- Hard webbing backplate eliminates bulky hard plastic backplate
- Extra padded areas designed for women in lumbar and neck
- Dual adjustable tank band and tank positioning strap
- Bladder designed for women with different pattern than regular men's BCDs
- 2 rear trim pockets
- Updated weight system allows for easier loading and up to 10 lb (4.5 kg) ditchable weight on each side
- Adjustable cummerbund / waist panel and shoulder adjustment
- Octo pocket
- Knife mounting positions on both sides
- Shoulder and rear dump / OPVs

<b>Ripcord</b>	No
<b>Inflation</b>	Jacket Style
<b>Dry Weight</b>	9 lb (4.1 kg)
<b>Lift Capacity</b>	28 - 40 lb (12.7 - 18.1 kg)
<b>Weight Capacity</b>	20 lb (9.1 kg)
<b>Rear Weight System</b>	10 lb (4.5 kg)
<b>D-Rings</b>	6 Stainless Steel
<b>Custom Sizes</b>	No



**8206** MARINA w/inflator hose & RE valve

**COLOR** Black/Aqua

**SIZE** XS / S / M / L

**8020-RFE** Sport Weight Pockets S-M

**8021-RFE** Sport Weight Pockets L-XL



**7102CV** COVERT XT w/inflator hose

**7102CVO** COVERT XT w/Octo-Z II

**COLOR** Black/Gray

**SIZE** XS / S / M / L / XL



**8202** RESORT w/inflator hose & RE valve

**COLOR** Black/Red

**SIZE** XS / S / M / L / XL

**8202-PLUS** XXL

**8020-RFE** Sport Weight Pockets S-M

**8021-RFE** Sport Weight Pockets L-XL

## // COVERT XT CE

### TRAVEL-STYLE BCD

The Covert XT is a travel-style BCD that ensures traveling doesn't mean compromising quality. Its MOLLE system with additional accessory attachment points increases versatility over the previous version. Covert XT blends functionality, convenience and comfort with a redesigned front vest, 1000D nylon with durable elastic material, additional padded shoulders, larger weight pockets, and a redesigned weight release system. At 4.4 lb (2 kg) with inflator, it's the ultimate travel upgrade.

- Larger weight pockets and redesigned weight release
- Added tank positioning strap
- Integrated rubber row webbing on tank band strap secures tank
- Increased tank band webbing width secures tank
- Accessories sold separately to be used with MOLLE system, including small pocket for spare mask.
- Weight pouches included
- Additional padding using open cell foam on shoulder and lumbar
- Knife mounting points on both sides
- 1000D nylon with special durable elastic material
- Sizes XS-L (11.79 kg lift)
- Size XL (15.88 kg lift)

<b>Ripcord</b>	No
<b>Inflation</b>	Rear Inflate
<b>Dry Weight</b>	5 lb (2.27 kg)
<b>Lift Capacity</b>	26 - 35 lb (11.79 - 15.88 kg)
<b>Weight Capacity</b>	16 lb (7.3 kg)
<b>D-Rings</b>	4 Plastic
<b>Travel Friendly</b>	Yes

## // RESORT+ CE

### MINIMALIST AND HARDWEARING JACKET-STYLE BCD

The Resort provides simple weight-integrated buoyancy in a comfortable BCD. This minimalist design provides plenty of D-rings, pockets and attachment points to keep the diver streamlined. Its adjustments, soft backpad, and durable materials make this jacket-style BCD perfect for men and women who want to simply stay focused on their dive.

- Reinforced and fade resistant Cordura® 500 Denier Nylon bladder material, 1000 Denier Nylon on shoulder straps, harness and pocket material
- Unisex front adjustable jacket-style BCD
- Dual position adjustable sternum strap
- Two expandable zippered utility pockets
- Extra soft backpad
- Single action weight release system
- Webbed cummerbund with dual adjustment

<b>Ripcord</b>	No
<b>Inflation</b>	Jacket Style
<b>Dry Weight</b>	7.3 lb (3.3 kg)
<b>Lift Capacity</b>	35 lb (15.9 kg)
<b>Weight Capacity</b>	20 lb (9.1 kg)
<b>Rear Weight System</b>	10 lb (4.5 kg)
<b>D-Rings</b>	6 Stainless Steel
<b>Custom Colors</b>	No
<b>Custom Sizes</b>	No



# LOCATION MARKERS



**SIGNAL TUBE (STANDARD)**



**SIGNAL TUBE (DELUXE)**



**QD DELUXE SIGNAL TUBE STAINLESS STEEL W/ZIP**



**SIGNAL TUBE (DELUXE-ORANGE)**



**SIGNAL TUBE (DELUXE-YELLOW)**



**QD DELUXE SIGNAL TUBE STAINLESS STEEL**

## SIGNAL TUBES - 4.9 FT (1.5 M) LONG

- Standard
- Deluxe two color (orange and yellow)
- Deluxe one color (orange)
- Deluxe one color (yellow)

## THUMB REELS

### LIGHTWEIGHT (PLASTIC) THUMB REEL

- 3.1 in (8 cm) diameter
- Filled with 115 ft (35 m) of nylon line

### STAINLESS STEEL THUMB REEL

- 3 in (7.6 cm) diameter
- Filled with 65 ft (19.8 m) of HD nylon line

### QD DELUXE SIGNAL TUBE W/ ZIP

- Lightweight 3.1 in (8 cm) thumb reel
- 115 ft (35 m) of nylon line
- Brass snap
- E-Z mount zip-on pouch

### QD DELUXE SIGNAL TUBE STAINLESS STEEL W/ ZIP

- SS 3 in (7.6 cm) thumb reel
- 65 ft (19.8 m) of nylon line
- SS snap
- E-Z mount zip-on pouch

### QD DELUXE SIGNAL TUBE

- Lightweight 3.1 in (8 cm) thumb reel
- 115 ft (35 m) of nylon line
- Brass snap
- E-Z mount pouch

### QD DELUXE SIGNAL TUBE STAINLESS STEEL

- SS 3 in (7.6 cm) thumb reel
- 65 ft (19.8 m) of nylon line
- Brass snap
- E-Z mount pouch

<b>251-1001</b>	Standard Signal Tube
<b>251-1002</b>	Deluxe Signal Tube
<b>251-1003</b>	Deluxe Signal Tube (orange)
<b>251-1004</b>	Deluxe Signal Tube (yellow)
<b>251-6037</b>	SS Thumb Reel
<b>730-3001PZ</b>	Deluxe Signal Tube with plastic reel / zipper
<b>730-300SZ</b>	Deluxe Signal Tube with stainless steel reel / zipper
<b>730-3001P</b>	Deluxe Signal Tube with plastic reel
<b>730-3001S</b>	Deluxe Signal Tube with stainless steel reel

# //BCD PARTS

## CYLINDER BANDS

Individual replacement cylinder bands can be purchased for Zeagle BCDs and metal backplates. Pricing is per band.

<b>7019</b>	Band for single cylinder (*not for Sport BCDs)
<b>7019T</b>	Band for twin cylinders (Length: 49in/124cm)
<b>05-0775</b>	Sport Series Single Tank Band
<b>05-0776</b>	Covert XT Lower Anti Slip Band
<b>111-5101</b>	Non-slip cylinder band insert (small) (Length: 7in/18cm)
<b>111-5103</b>	Non-slip cylinder band insert (large) (Length: 9in/23cm)
<b>111-7004</b>	Cam buckle for cylinder band
<b>519-SC01</b>	Single Cylinder Mount



## AIRWAY ASSEMBLY COMPONENTS AND OPVS

The airway assembly typically consists of the corrugated hose and shoulder Remote Exhaust Valve assembly. These components are sized, typically following the size and style of the BCD they are installed on.

<b>XS-SM</b>	15.9 in (40.6 cm) length
<b>MD-LG</b>	18.9 in (48 cm) length
<b>XL-XXL</b>	+22.8 in (+58cm) length

Pre 2014: Finer threading  
Post 2014: Coarse threading



(Post 2014)

<b>0518-S</b>	RE:/Airways w/Inflator 16 in (40.6cm) SPORT Line
<b>0526</b>	RE:/Corrugated 18.9 in (48 cm)
<b>0526-Z</b>	RE:/Corrugated Hose 18.9 in (48 cm) (Post-2014)
<b>0514-S</b>	RE:/Corrugated Hose- Inflator- 15.9 in (40.6 cm) (Post 2014)
<b>0514</b>	RE:/Corrugated Hose- Inflator- 18.9 in (48 cm) (Post 2014)
<b>0514-L</b>	RE:/Corrugated Hose- Inflator- 22.8 in (58 cm) (Post 2014)

<b>165-1016-Z</b>	16 in (40.6 cm) Corrugated Hose (Post 2014)
<b>165-1019-Z</b>	19 in (48 cm) Corrugated Hose (Post 2014)
<b>165-1018-Z</b>	22.8 in (58 cm) Corrugated Hose (Post 2014)
<b>111-9000L-16-Z</b>	16 in (40.6 cm) Remote Exhaust (RE) Valve Assembly (Post 2014)
<b>111-9000L-19-Z</b>	19 in (48 cm) Remote Exhaust (RE) Valve Assembly (Post 2014)
<b>111-9000L-23-Z</b>	23 in (58 cm) Remote Exhaust (RE) Valve Assembly (Post 2014)
<b>111-9370</b>	Gasket for RE Valve Assembly
<b>111-8000P-Z</b>	Overpressure Valve (OPV) Assembly (Post 2014)
<b>111-8000P-23-Z</b>	OPV with 22.8 in (58 cm) Pull Cord for LTD Bladders (Post 2014)

# BCD HARDWARE AND BUCKLES

This category covers the little knickknacks on a Zeagle BCD such as the sternum strap, bungee cords, SS D-rings, etc. If you do not see something in here that you need, please contact Zeagle Customer Service.



<b>8010</b>	16in (40.6cm) bungee cord with snap hooks
<b>111-7004</b>	Cam buckle for cylinder band
<b>111-7009</b>	Two-piece plastic screw fastener
<b>111-7011</b>	Two-piece stainless steel screw fastener
<b>7025C</b>	Sternum Strap for BC
<b>7025E</b>	Sternum Strap for Express Tech
<b>7284</b>	BCD carrying handle
<b>7289</b>	BCD carrying handle, deluxe (Ranger LTD)
<b>110-2006</b>	Side release single pull buckle 0.7in (1.9cm) (specify male/female)
<b>110-2007</b>	Side release single pull buckle 0.9in (2.5cm) (specify male/female)
<b>110-2008</b>	Side release single pull buckle 0.9-0.5in (2.5-1.2cm) (specify male/female)
<b>110-2009</b>	Side release single pull buckle 1.9in (5cm) (specify male/female)
<b>110-2013</b>	Side release double pull buckle 0.9in (2.5cm) (specify male/female)
<b>110-2010</b>	Side release double pull buckle 0.9-0.5in (2.5-1.2cm) (specify male/female)
<b>110-2011</b>	Side release double pull buckle 1.9in (5cm) (specify male/female)
<b>7281M</b>	Bladder attachment strap (needed to fit doubles onto a Ranger-style BC)
<b>7281S</b>	18cm Strap/Bladder Attachment for single (BP)
<b>7281L</b>	23cm Strap/Bladder Attachment for Double (4BP)

# SERVICE ITEMS

Regulator service kits, tools, inflator service items, and replacement parts. The service items here are for current Zeagle regulators and inflators (sold after 2000).



<b>345-1000</b>	1st stage service kit (diaphragm regulator)
<b>345-1001</b>	1st stage service kit (RaZor regulator)
<b>345-1002</b>	1st stage service kit (ReZort regulator)
<b>345-2000</b>	2nd stage service kit (for all models)
<b>345-2100</b>	2nd stage high-performance upgrade kit (old models)
<b>345-7000</b>	Octo-Z service kit
<b>345-1000V</b>	1st stage service kit (Viton)
<b>345-0405</b>	BCD Repair Kit
<b>145-1000</b>	BX Inflator Kit
<b>145-1001-S</b>	Sport Power Inflator Kit Gray + Red

PARTS

## // BCD KEY FEATURES

BCD	GENDER	STYLE	PFS	COLOR OPTIONS	CUSTOM COLORS	SIZES	CUSTOM SIZES	DRY WEIGHT	LIFT CAPACITY	WEIGHT CAPACITY	REAR MOUNT/ TRIM WEIGHT SYSTEM	D-RING
COVERT XT	Unisex	Rear Inflate	No	Black/Gray	No	XS-XL	No	5 lb (2.3 kg)	34 lb (15.4 kg)	15.4 lb (7 kg) Integrated	9.9 lb (4.5 kg)	4 PL
RANGER JR	Youth	Rear Inflate	Yes	Black	No	XS	No	5.5 lb (2.5 kg)	23.8 lb (10.8 kg)	15.4 lb (7 kg) Ripcord	15.4 lb (7 kg)	4 SS
SCOUT	Unisex	Rear Inflate	No	Black	No	XS-XL	No	6.6 lb (3 kg)	23.8 lb (10.8 kg)	None	15.4 lb (7 kg)	4 SS
STILETTO	Unisex	Rear Inflate	Yes	Black	Yes	XS-XL	Yes	7.3 lb (3.3 kg)	35 lb (15.8 kg)	24.5 lb (11 kg) Ripcord	15.4 lb (7 kg)	5 SS
FURY	Unisex	Rear Inflate	Yes	Black	No	XS-XL	Yes	8.7 lb (3.9 kg)	35 lb (15.8 kg)	24.5 lb (11 kg) Ripcord	15.4 lb (7 kg)	6 SS
ZENA	Women's	Rear Inflate	Yes	Interchangeable	Yes	XS-L	Yes	6.2 lb (2.8 kg)	34 lb (15.4 kg)	24.5 lb (11 kg) Ripcord	15.4 lb (7 kg)	4 SS
RANGER	Unisex	Rear Inflate	Yes	Black	Yes	XS-XL	Yes	8.4 lb (3.8 kg)	44.1 lb (20 kg)	35.3 lb (16 kg) Ripcord	15.4 lb (7 kg)	6 SS
RANGER LTD	Unisex	Rear Inflate	Yes	Black	Yes	XS-XL	Yes	9.5 lb (4.3 kg)	44.1 lb (20 kg)	35.3 lb (16 kg) Ripcord	19.8 lb (9 kg)	8 SS
911	Unisex	Rear Inflate	Yes	Black	Yes	XS-XL	Yes	9.5 lb (4.3 kg)	65 lb (29.5 kg)	35.3 lb (16 kg) Ripcord	19.8 lb (9 kg)	8 SS
SAR	Unisex	Rear Inflate	Yes	Black	Yes	XS-XL	Yes	12 lb (5.4 kg)	65 lb (29.5 kg)	35.3 lb (16 kg) Ripcord	19.8 lb (9 kg)	8 SS
EXPRESS TECH DELUXE	Unisex	Rear Inflate	No	Black	No	One Size Fits All	No	6.4 lb (2.9 kg)	22.7 lb (10.3 kg)	Optional	N/A	2 PL
RESORT	Unisex	Jacket Style	No	Black/Red	No	XS-XL	No	7.3 lb (3.3 kg)	35.3 lb* (16 kg*)	19.8 lb (9 kg)	9.9 lb (4.5 kg)	6 SS
FOCUS	Unisex	Jacket Style	No	Black/Red	No	S-XL	No	9.7 lb (4.4 kg)	35.3 lb* (16 kg*)	19.8 lb (9 kg)	9.9 lb (4.5 kg)	6 SS

\* Lift Capacity varies depending upon size (stock large shown here).

KEY FEATURES



# // BCD SIZE CHARTS

## BRAVO AND RESORT:

WAIST (Vest size) - Measure waist size	
SM	24 in - 42 in (61 cm - 107 cm)
MD	30 in - 45 in (76 cm - 114 cm)
LG	35 in - 50 in (89 cm - 127 cm)
XL	37 in - 52 in (84 cm - 132 cm)
XXL	44 in - 56 in (112 cm - 142 cm)

\* View custom BCD sizing (2XL, 3XL, 4XL & 5XL) on page 11.

TORSO (Shoulder size)- Top of shoulder to top of hip	
SM	17 in - 20 in (43 cm - 50 cm)
MD	20 in - 23 in (50 cm - 58 cm)
LG	22 in - 25 in (56 cm - 63.5 cm)
XL	23 in - 26 in (58 cm - 66 cm)
XXL	23 in - 27 in (58 cm - 68.5 cm)

## MARINA

WAIST (Vest size) - Measure waist size	
XS	26 in - 28 in (71 cm - 91 cm)
SM	30 in - 38 in (76 cm - 96.5 cm)
MD	33 in - 41 in (84 cm - 104 cm)
LG	36 in - 44 in (91 cm - 112 cm)

TORSO (Shoulder size)- Top of shoulder to top of hip	
XS	15 in - 18 in (38 cm - 46 cm)
SM	17 in - 19 in (43 cm - 48 cm)
MD	18 in - 20 in (46 cm - 50 cm)
LG	19 in - 21 in (48 cm - 53 cm)

## ZENA:

	Waist (Vest size) (at smallest point)	Bust Size (Vest size)	Torso (Shoulder Size) (Top of shoulder to top of hip)
XS	20 - 24 in (50 cm - 61 cm)	26 in - 30 in (66 cm - 76 cm)	10 in - 13 in (25.4 cm - 33 cm)
SM	24 in - 30 in (61 cm - 76cm)	30 in - 34 in (76 cm - 86 cm)	13 in - 16 in (33 cm - 40.6 cm)
MD	26 in - 34 in (66 cm - 86 cm)	34 in - 37 in (86 cm - 93 cm)	15 in - 18 in (38 cm - 46 cm)
LG	36 in - 44 in (71 cm - 96.5 cm)	37 in - 42 in (93 cm - 107 cm)	17 in - 19 in (43 cm - 48 cm)

## SCOUT, STILETTO, RANGER (LTD) TECH, RESCUE 9II AND SAR:

WAIST (Vest size) - Measure waist size	
SM	35 in (89 cm)
MD	33 in - 41 in (84 cm - 104 cm)
LG	37 in - 45 in (84 cm - 114 cm)
XL	42 in - 50 in (107 cm - 127 cm)

TORSO (Shoulder size)- Top of shoulder to top of hip	
SM	14 in - 18 in (46 cm - 65.5 cm)
MD	18 in - 22 in (46 cm - 56 cm)
LG	22 in - 26 in (56 cm - 66 cm)
XL	26 in - 29 in (66 cm - 74 cm)

## RANGER JR:

WAIST (Vest size) - Measure waist size	
XS	22 in - 28 in (56 cm - 71 cm)

TORSO (Shoulder size)- Top of shoulder to top of hip	
XS	12 in - 15 in (30.5 cm - 38 cm)

BCD SIZING

# // BCD SIZE CHARTS CONT.

## COVERT XT:

WAIST (Vest size) - Measure waist size	
SM	30 in - 45 in (76 cm - 114 cm)
MD	35 in - 50 in (89 cm - 127 cm)
LG	37 in - 52 in (84 cm - 132 cm)
XL	44 in - 56 in (112 cm - 142 cm)

The Covert XT does not use the Personal Fit System

TORSO (Shoulder size)- Top of shoulder to top of hip	
SM	20 in - 23 in (50 cm - 58 cm)
MD	22 in - 25 in (56 cm - 63.5 cm)
LG	23 in - 26 in (58 cm - 66 cm)
XL	23 in - 27 in (58 cm - 68.5 cm)

## FURY REG (XS-L):

WAIST (Vest size) - Measure waist size	
XS	25 in - 33 in (63.5 cm - 84 cm)
S	29 in - 37 in (73.5 cm - 94 cm)
M	33 in - 41 in (84 cm - 104 cm)
L	35 in - 43 in (89 cm - 109 cm)

TORSO (Shoulder size)- Top of shoulder to top of hip	
XS	<14 in (<35.5 cm)
S	14 in - 18 in (<35.5 cm - 46 cm)
M	18 in - 22 in (46 cm - 56 cm)
L	20 in - 24 in (51 cm - 61 cm)

## FURY LRG (L-2XL):

WAIST (Vest size) - Measure waist size	
L	37 in - 45 in (94 cm - 114 cm)
XL	41 in - 49 in (104 cm - 124.5 cm)
XXL	45 in - 53 in (114 cm - 135 cm)

TORSO (Shoulder size)- Top of shoulder to top of hip	
L	22 in - 26 in (56 cm - 66 cm)
XL	26 in - 29 in (66 cm - 73.5 cm)
XXL	>26 in (>66 cm)

BCD SIZING



# // ZEAGLE REGULATORS

REGULATORS

# REGULATORS



F8  
CE



ONYX II  
CE



ENVOY II  
CE



ENVOY II RAZOR  
CE

# OCTOS & INFLATORS



F8 OCTO  
CE



ONYX II OCTO  
CE



ENVOY II OCTO  
CE



OCTO-Z II  
CE



BX POWER INFLATOR

REGULATORS





## BREATHING EVOLVED.

THE MOST DEPENDABLE REGULATORS EVER MADE.

Zeagle regulators are assembled in the US, built under strict controls for quality in our own factory, using state-of-the-art equipment and procedures.

Our regulators are consistently top-rated in objective evaluations of breathing performance. They have exceeded the highest standards, including the DIN EN 250 and the U.S. Navy Group A, for working at depth. Another Navy test concluded that our Envoy had no competition in its price class - even regulators costing hundreds of dollars more didn't exceed its overall performance.

We've also focused on aspects of regulator design that don't turn up in typical testing, like durability, longevity and consistent performance in cold water or adverse conditions.

As in everything we do, our regulators are based on a simple modular design. Customers can select from several 1st and 2nd stages to best suit their needs without compromising quality. We also design to keep maintenance simple. For example, you only need one repair kit for all 1st stages and one repair kit for all 2nd stages to service all our regulators.



## REGULATOR SPECIFICATIONS

REGULATOR	OVERVIEW	ENVIRONMENTALLY SEALED	DRY WEIGHT	BRAIDED HOSE	HP PORTS	LP PORTS	SERVICE INTERVAL
F8	Zeagle's flagship regulator. Environmentally and dry sealed.	YES	2.6 lb (1.2 kg)	YES	2	5	2 YEARS
ONYX II	Easy breathing high performing coldwater regulator	YES	2.6 lb (1.2 kg)	YES	2	5	1 YEAR
ENVOY II	Tremendous value with uncompromising performance	NO	3.2 lb (1.5 kg)	NO	2	5	1 YEAR
ENVOY II RAZOR	A unique combination of a valve and a 1st stage in a very light package	NO	4 lb (1.8 kg)	NO	1	4	1 YEAR
OCTOPUS							
F8 OCTOPUS	High performance octo with free flow control & adjustable cracking pressure		0.82 lb (0.4 kg)	YES			1 YEAR
ONYX II OCTOPUS	High performance with dual adjustment		1.2 lb (0.5 kg)	YES			1 YEAR
ENVOY II OCTOPUS	High performance with free flow control		1.25 lb (0.5 kg)	NO			1 YEAR
OCTO-Z INFLATOR/OCTOPUS	Combination regulator and BCD inflator		0.5 lb (0.22 kg)	NO			1 YEAR

REGULATORS



F8 DIN

F8 YOKE

# // F8 <sup>CE</sup>

## THE BEST PERFORMING DIAPHRAGM REG

The legendary Zeagle 1st stage is complemented with a new high-performing flagship 2nd stage. The result, the best performing diaphragm regulator on the market today.

- Case design that is smaller, lighter and molded from high impact resistant materials
- 1st stage is coated with flat black chrome plating in order to protect the brass from corroding. A very durable black PVD is used to coat the high use port plugs, to protect from wear and tear and corrosion.
- Front cover design with antisurge and stylized "Z" logo
- Smaller mouthpiece with super soft silicone and color accented tear resistant "Bite" lugs
- Exhaust valve with improved dryness and lower exhalation effort
- Inhalation effort control knob for better grip and style
- Threaded cover ring for improved safety
- Heat sink with improved materials and greater surface area to dissipate cold
- Zirconium-plated inlet tube for increased corrosion resistance
- Inhalation diaphragm with improved response and tear strength
- Redesigned poppet with improved tolerances
- Patented seat saving orifice
- Low pressure 2nd stage seat
- 2nd stage spring made from super alloy

<b>Dry Weight</b>	2.6 lb (1.2 kg)
<b>HP/LP</b>	2/5 Ports
<b>Environmentally Sealed</b>	Yes
<b>Braided Hose</b>	Yes
<b>Service Interval</b>	2 Years

**350-8310** F8 1st Stage & 2nd Stage Yoke

**350-8320** F8 1st Stage & 2nd Stage DIN

**310-8310-S** F8 Yoke

**310-8320-S** F8 DIN

**320-8300-S** F8 2nd Stage (Black)

ONYX II  
YOKE



ONYX II  
DIN

ENVOY II  
YOKE



RAZOR II



ENVOY II  
DIN

## // ONYX II <sup>CE</sup>

### COLD-WATER BREATHING HAS NEVER BEEN SO EFFORTLESS

With the same attractive finish and outstanding performance as its predecessor (the Onyx), the Onyx II fills the need for those that find themselves in cooler water. Its internal structure allows direct airflow through the 1st stage, providing lower turbulence for outstanding performance.

Dry Weight	2.75 lb (1.25 kg)
HP/LP	2/5 Ports
Environmentally Sealed	Yes
Braided Hose	Yes
Service Interval	1 Year

350-0310 Onyx II 1st Stage & 2nd Stage Yoke

350-0320 Onyx II 1st Stage & 2nd Stage DIN

310-0310-S Onyx II Yoke 1st Stage

310-0320-S Onyx II DIN 1st Stage

320-0300-S Onyx II 2nd Stage

## // ENVOY II <sup>CE</sup>

### TREMENDOUS VALUE. UNCOMPROMISING PERFORMANCE.

The Envoy II is an incredible value, meeting or exceeding the performance of regulators that cost much more. Envoy II is an economical regulator that doesn't compromise on performance or reliability. Its lightweight 1st stage, with balanced diaphragm is available in DIN or Yoke, and its 2nd stage has a downstream valve and Dive/Pre Dive Venturi control (with 28.6 in/76.2 cm hose length).

Dry Weight	2.4 lb (1.1 kg)
HP/LP	2/5 Ports
Environmentally Sealed	No
Braided Hose	No
Service Interval	1 Year

350-3310 Envoy II 1st Stage & 2nd Stage Yoke

350-3320 Envoy II 1st Stage & 2nd Stage DIN

350-6300 Razor 1st Stage & Envoy 2nd Stage

310-3310-S Envoy II Yoke 1st Stage

310-3320-S Envoy II DIN 1st Stage

310-6300-S Razor II 1st Stage

Serialized (Does not include Transfiller Yoke)

320-3300-S Envoy II 2nd Stage

REGULATORS

# //OCTOS AND INFLATORS



## F8 OCTO CE

Lightweight, high performance with free flow control, heat sink and adjustable cracking pressure.



## BX POWER INFLATOR

Standard POWER inflator with Zeagle's BX coupling connection.



## ONYX II OCTO CE

Free flow control and adjustable cracking pressure.

<b>320-8310</b>	F8 Octo (Yellow)
<b>320-0310</b>	Onyx II Octo (Yellow)
<b>320-3310</b>	Envoy II Octo (Yellow)
<b>320-7300-BK</b>	Octo-Z II Black
<b>320-7300-YL</b>	Octo-Z II Yellow
<b>112-1001BX</b>	BX Power Inflator



## ENVOY II OCTO CE

High performance with free flow control.



## OCTO-Z II CE

Combination BCD inflator and alternate air source. Available in Black or Yellow.

# //ADAPTERS AND CONVERSION KITS


<b>330-0001</b>	Din to Yoke Adapter
<b>345-8320</b>	F8 Yoke to Din Conversion Kit
<b>345-8310</b>	F8 Din to Yoke Conversion Kit

<b>345-1010</b>	Conversion kit, 50D, DS-V, Envoy, Flathead VI 1st stage yoke to DIN
<b>345-1017</b>	Conversion kit, Flathead 7 & ReZort, 1st stage yoke to DIN
<b>345-0210</b>	Conversion kit, Onyx, 1st stage DIN to yoke
<b>345-1020</b>	Conversion kit, 50D, DS-V, Envoy, Flathead VI 1st stage DIN to yoke
<b>345-1027</b>	Conversion kit, Flathead 7 & ReZort, 1st stage DIN to yoke

# // ZEAGLE FINS

## CE ZEAGLE RECON FIN THERE'S MORE BEYOND THE SURFACE

The Recon is a complete rethink of basic fin geometry, angles, surfaces and thicknesses, combining uncomplicated design with the latest aquadynamic technology. The result is the most revolutionary technical fin on the market, capable of industry-leading thrust and control for all types of alternative kicking styles.



Compression-molded natural rubber for optimal performance.

Two thick side ribs for more elastic response where flex and snapback is needed.

Four bottom strakes, two top strakes, for thrust, less turbulence and a stable flutter kick.

SIZE	USA	EU	UK	JP
MD	6 - 8.5	39 - 41	6 - 8	24.1 - 25.4
LG	9 - 11	42 - 43	9 - 10.5	26 - 27.9
XL	11.5 - 13	44 - 46	11 - 12.5	28.3 - 29.4

### MULTI-TOOL AVAILABLE

Zeagle multi-tool can be used with the Recon fin, as well as all Zeagle regulators and masks.



8500 Recon Fin - Black Sizes Available: M, L, XL

347-0108 Zeagle Fin/Mask Multi-tool

370-0100-BK Strap Kit Assy, Recon Fin

# // ZEAGLE MASKS



## A STRONG DUO. WITH PERSONALITY.



Custom color kits and multi-tool available. See next page for details.

Zeagle's Scope masks combine durability and comfort with accessories that are customizable. Simple, over-molded design is hard-wearing, and a color strap option provides a touch of personality. Scope Dual and Mono are strong, personable masks that will last.



Includes a Zeagle Air Box.

**7500** Scope Dual (Silicone Strap included)

**9903** Scope Elastic Strap Color Kits  
Black, Yellow

**9904** Scope Silicone Strap Color Kits  
Black

**347-0108** Scope Multi-tool

## // SCOPE DUAL<sup>CE</sup> SUBMERGED IN TOUGHNESS

Scope Dual enters the market by completely redefining durability. It's the only dual lens mask with a patented 100% submerged subframe with exposed silicone for increased protection. Customizable accessories like interchangeable optical lenses and personalized straps in multiple color options provide a touch of style for every dive.

- Proprietary Zeagle over-molded frameless design
- Interchangeable UltraClear and corrective lenses
- Soft-touch silicone face seal
- One-button thumb-operated buckle for easy adjustments on the fly
- Silicone and elastic strap color options





Includes Zeagle Air Box.



# // SCOPE MONO <sup>CE</sup>

SEE MORE. EVERY DIVE.

With Scope Mono, seeing truly is believing. Its low volume, wide field of vision gives the precision to focus on every underwater moment in full panoramic view. Large nose pocket and soft-touch silicone face seal provides unparalleled comfort; interchangeable straps in silicone or elastic with various color options give your customers more choice to customize and coordinate every dive.

- Proprietary Zeagle over-molded frameless design
- Low volume, wide field of vision
- Large nose pocket for comfort
- Soft-touch silicone face seal
- One-button thumb-operated buckle for easy adjustments on the fly
- Silicone and elastic strap color options

<b>6500</b>	<b>Scope Mono (Elastic Strap included)</b>
<b>6500-RO</b>	<b>Scope Mono - Rescue Orange (Elastic Strap)</b>
<b>6500-GY</b>	<b>Scope Mono - Grey Camo (Elastic Strap)</b>
<b>9903</b>	<b>Scope Elastic Strap Color Kits</b> Black, Yellow
<b>9904</b>	<b>Scope Silicone Strap Color Kits</b> Black
<b>347-0108</b>	<b>Scope Multi-tool</b>

## SUPERIOR AIR BOX PROTECTION

Scope Dual and Scope Mono both come with Zeagle's unique air box package. Its stackable, nose-shaped design connects the lid and bottom case to form two positions: a vented box to repel moisture, and an airtight box to prevent water, dirt and dust.



**POSITION 1:** vented box to prevent moisture



Rotate lid and bottom to seal mask in and protect



**POSITION 2:** airtight seal to prevent water, dirt and dust



## CUSTOM COLOR KITS AND MULTI-TOOL AVAILABLE

Dual comes standard with gray silicone strap. Mono comes standard with gray elastic strap. Additional custom strap and color options available.

Custom Colors Available: **Gray, Yellow, Red, Blue.**

Straps include a Zeagle Multi-Tool, that can be used for all Zeagle regulators, masks and fins. Multi-Tool can also be ordered separately.

**347-0108 Zeagle Fin/Mask Multi-tool**

## // ZEAGLE SNORKELS



## // TANGO SNORKEL<sup>CE</sup>

The Zeagle Tango snorkel is a compact and rugged J tube design. Built with a comfortable silicone mouthpiece and TPR down tube for easy breathing.

9500	Tango Snorkel, Black
9500 - RO	Tango Snorkel, Rescue Orange
9500 - GY	Tango Snorkel, Grey Camo

## GET THE COMPLETE SET

RECON / SCOPE / TANGO



SNORKELS



# // ZEAGLE INSTRUMENTS AND HOSES

## // INSTRUMENTS CE

- One-piece brass body is shock resistant and highly durable
- Ergonomic sleek styling of the housing which gives the instrument a low and compact profile and comfortable grip
- Comes with a thermoplastic hose for flexibility to provide ease of gauge reading
- Two integrated attachment points at the top provide multiple options for gear configuration
- Custom Zeagle dial, easy to read and attractive
- Copper Beryllium spiral-wound rings ensure greater reliability and miniaturization, bourdon tube design provides measurement accuracy
- Available in both imperial and metric

<b>372-9411</b>	Single Gauge - 5000psi 11 in hose w/Black Rubber Hose
<b>372-9411M</b>	Single Gauge-5000psi 11 in hose w/Black Rubber Hose (Metric)
<b>372-9432</b>	Single Gauge - 5000psi 32 in Black Rubber Hose Instruments
<b>372-9432M</b>	Single Gauge - 5000psi 32 in Black Rubber Hose (Metric)
<b>372-9415</b>	Combo 2 Gauge SPG/MDL w/Black Rubber Hose
<b>372-9415M</b>	Combo 2 Gauge SPG/MDL w/Black Rubber Hose (Metric)
<b>372-9705</b>	Slimline Co-Pilot Console w/Black Rubber Hose
<b>372-9705M</b>	Slimline Co-Pilot Console w/Black Rubber Hose (Metric)

COMBO 2 GAUGE  
Pressure Gauge  
and Depth Gauge



SLIMLINE CO-PILOT  
CONSOLE  
Pressure Gauge, Depth  
Gauge and Compass

SINGLE GAUGE

## // HOSES

<b>165-1015</b>	32 in (81 cm) 5000 PSI (300 BAR) SPG Hose
<b>165-1031</b>	24 in (61 cm) Regulator Hose, 0.37 in (0.95 cm) Fitting
<b>165-1032</b>	26 in (66 cm) Regulator Hose, 0.37 in (0.95 cm) Fitting
<b>165-1033</b>	28 in (71 cm) Regulator Hose, 0.37 in (0.95 cm) Fitting
<b>165-1034</b>	24 in (61 cm) Regulator Hose, 0.37 in (0.95 cm) Fitting (standard on most Zeagle regulators)
<b>165-1300</b>	30 in (76 cm) Black Braided Regulator Hose, 0.37 in (0.95 cm) Fitting (standard on Flathead and Onyx regulators)
<b>165-1035</b>	32 in (81 cm) Regulator Hose, 0.37 in (0.95 cm) Fitting
<b>165-1036</b>	36 in (91 cm) Regulator Hose, 0.37 in (0.95 cm) Fitting (standard on most Zeagle octopus regulators)
<b>165-1360</b>	36 in (91 cm) Yellow Braided Regulator Hose, 0.95cm Fitting (standard on Z and ZO octopus regulators)
<b>165-1037</b>	48 in (122 cm) Regulator Hose, 0.37 in (0.95 cm) Fitting
<b>165-1038</b>	84 in (213 cm) Regulator Hose, 0.37 in (0.95 cm) Fitting
<b>165-1039</b>	108 in (274 cm) Regulator Hose, 0.37 in (0.95 cm) Fitting
<b>165-1020</b>	28 in (71 cm) Low Pressure, QD Inflator Hose
<b>165-1325</b>	36 in (91 cm) Low Pressure, QD Inflator Hose
<b>165-1027</b>	27 in (68.5 cm) Low Pressure, QD Inflator Hose for Octo-Z
<b>112-9027-AA</b>	Hose Adapter (allows standard inflator to be used with Octo-Z hose fitting)
<b>342-7241-AA</b>	Octo-Z Hose Fitting (install into any 0.37 in (0.95 cm) regulator hose)

***Zeagle***<sup>®</sup>

// TESTED. TRUSTED.